

L Number	Hits	Search Text	DB	Time stamp
1	284	(distribut\$3 and schedul\$3).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 10:58
2	27	(distribut\$3 and schedul\$3).ti.	USPAT	2002/10/04 10:59
3	24	4969092.URPN.	USPAT	2002/10/04 13:42
4	0	6182110.URPN.	USPAT	2002/10/04 14:37
5	25	("4969092" "5031089" "5155837" "5185860" "5261044" "5282270" "5325526" "5325527" "5408618" "5414845" "5440681" "5524253" "5596723" "5651006" "5666481" "5675741" "5678042" "5692128" "5710885" "5737498" "5742829" "5758165" "5832503" "5872928" "5931911").PN.	USPAT	2002/10/04 13:13
6	50	("6046817" "6208661" "6370144" "6389031" "5574784" "4969092" "4965716" "6014760" "4918652" "5787162" "5748890" "5916309" "5513994" "5694548" "5533020" "5844890" "5850399" "6028843" "6006266" "6345291" "5289523" "6292830" "6021425" "6272517" "6105053" "5752031" "6101497" "6094510" "5581703" "5701465" "5765038" "6065062" "6076110" "6098093" "6167537" "6160843" "6298371" "5796955" "6134516" "5488703" "5878225" "6117079" "6388687" "6075769" "6023507" "6058424" "6085244" "6141677" "5680548" "5887141").pn.	USPAT	2002/10/04 13:42

7	14	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$).did.	USPAT	2002/10/04 14:37
8	3	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$).did.) and schedul\$3 and (session thread) and priority	USPAT	2002/10/04 14:41
9	3	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$).did.) and schedul\$3 and (session thread) and priority and (job event task process)	USPAT	2002/10/04 14:46
10	16	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.	USPAT	2002/10/04 17:11
11	4	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and schedul\$3 and (session thread) and priority and (job event task process)	USPAT	2002/10/04 14:46
12	6	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and error	USPAT	2002/10/04 18:11
13	1	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and re\$1try\$3	USPAT	2002/10/04 18:15
14	0	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and (try adj again)	USPAT	2002/10/04 18:15
15	13	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and again	USPAT	2002/10/04 18:17
16	9	((US-5581764-\$ or US-6292889-\$ or US-6105053-\$ or US-4642758-\$ or US-6453438-\$ or US-6105067-\$ or US-6182110-\$ or US-6061807-\$ or US-5887141-\$ or US-5742829-\$ or US-5737498-\$ or US-5710885-\$ or US-5325526-\$ or US-5414845-\$ or US-6021425-\$ or US-6014760-\$).did.) and repeat\$3	USPAT	2002/10/04 18:17
-	34	(transfer\$4 distribut\$4) same job same (session thread) and repeat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:09
-	1	"4342083".PN.	USPAT	2002/10/03 15:06
-	45	4642758.URPN.	USPAT	2002/10/03 15:07

-	4746	709/101,102,103,201,202,227,222,223.ccls. 370/270.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:10
-	146	(709/101,102,103,201,202,227,222,223.ccls. 370/270.ccls.) and schedul\$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:12
-	74	709/101,102,103.ccls. and 709/201,202,227,222,223.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:44
-	282	709/103.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:45
-	188	709/103.ccls. and schedul\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 10:57



[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent & Trademark Office

Search Results

Search Results for:

[queue<AND>((priority<AND>((distribut<paragraph>network AND schedul))))]

Found 1,208 of 101,942 searched. → Rerun within the Portal

Warning: Maximum result set of 200 exceeded. Consider refining.

Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score**

Results 1 - 20 of 200

short listing



1 2 3 4 5 6 7 8 9 10



- | | | |
|---|--|------|
| 1 | EMERALDS: a small-memory real-time microkernel
Khawar M. Zuberi , Padmanabhan Pillai , Kang G. Shin
ACM SIGOPS Operating Systems Review , Proceedings of the 17th
ACM symposium on Operating systems principles December 1999
Volume 33 Issue 5 | 100% |
| 2 | Providing deterministic delay guarantees in ATM networks
Seok-Kyu Kweon , Kang G. Shin
IEEE/ACM Transactions on Networking (TON) December 1998
Volume 6 Issue 6 | 100% |
| 3 | Space-efficient scheduling of parallelism with synchronization
variables
Guy E. Blelloch , Phillip B. Gibbons , Girija J. Narlikar , Yossi Matias
Proceedings of the ninth annual ACM symposium on Parallel
algorithms and architectures June 1997 | 100% |

- 4** Multiclass priority fair queuing for hybrid wired/wireless quality of service support 100%



Jay R. Moorman , John W. Lockwood

Proceedings of the second ACM international workshop on Wireless mobile multimedia August 1999

- 5** The iSLIP scheduling algorithm for input-queued switches 100%



Nick McKeown

IEEE/ACM Transactions on Networking (TON) April 1999
Volume 7 Issue 2

- 6** FCFS: a novel scheduling policy for tightly-coupled parallel computer systems 100%



J. Place

Proceedings of the seventeenth annual ACM conference on Computer science : Computing trends in the 1990's: Computing trends in the 1990's February 1989

Tightly-coupled parallel computer systems are available from several vendors. The mechanism for process scheduling employed by virtually all of these systems is preemptive by job priority. This scheme for process scheduling consumes significant processor resources and can result in significant processor contention for the scheduling data structure. In this paper we show that it is possible to reduce the number of job priorities, and at the same time reduce the administrative overhead on the ...






- 7** SimDS: a simulation environment for the design of distributed database systems 99%








Alok R. Chaturvedi , Samir Gupta , Subhajyoti Bandyopadhyay
ACM SIGMIS Database June 1998

Volume 29 Issue 3

Design of a distributed transaction processing system is a complex process. The paper describes the design and implementation of a general purpose scalable simulation environment (SimDS) for designing and evaluating the performance of distributed transaction processing systems. SimDS is a distributed simulation system where each data server is implemented as a separate process that communicates with each other through user datagram protocol. The paper describes the features of SimDS including va ...

- 8** Post-mortem black-box correctness tests for basic parallel data structures 99%
 Phillip B. Gibbons , John L. Bruno , Steven Phillips
Proceedings of the eleventh annual ACM symposium on Parallel algorithms and architectures June 1999
- 9** Providing soft real-time QoS guarantees for Java threads 99%
 James C. Pang , Gholamali C. Shoja , Eric G. Manning
ISCOPE Conference on ACM 2001 Java Grande June 2001
- 10** The click modular router 99%
 Eddie Kohler , Robert Morris , Benjie Chen , John Jannotti , M. Frans Kaashoek
ACM Transactions on Computer Systems (TOCS) August 2000
Volume 18 Issue 3
Clicks is a new software architecture for building flexible and configurable routers. A Click router is assembled from packet processing modules called elements. Individual elements implement simple router functions like packet classification, queuing, scheduling, and interfacing with network devices. A router configurable is a directed graph with elements at the vertices; packets flow along the edges of the graph. Several features make individual elements more powerful and ...
- 11** Column: Multiple-queue backfilling scheduling with priorities and reservations for parallel systems 99%
 Barry G. Lawson , Evgenia Smirni
ACM SIGMETRICS Performance Evaluation Review March 2002
Volume 29 Issue 4
We describe a new, non-FCFS policy to schedule parallel jobs on systems that may be part of a computational grid. Our algorithm continuously monitors the system (i.e., intensity of incoming jobs and variability of their resource demands) and continuously adapts its scheduling parameters to sudden workload fluctuations. The proposed policy is based on backfilling which permits job rearrangement in the waiting queue. By exploiting otherwise idle processors, this rearrangement reduces fragmentation ...
- 12** Efficient user-space protocol implementations with QoS guarantees using real-time upcalls 99%
 R. Gopalakrishnan , Gurudatta M. Parulkar
IEEE/ACM Transactions on Networking (TON) August 1998

Volume 6 Issue 4

- 13** A router architecture for real-time point-to-point networks 98%
 Jennifer Rexford , John Hall , Kang G. Shin
ACM SIGARCH Computer Architecture News , Proceedings of the
23rd annual international symposium on Computer architecture May
1996
Volume 24 Issue 2
- 14** Measures, models and measurements for time-shared 98%
 computer utilities
G. Estrin , L. Kleinrock
Proceedings of the twenty second national conference January 1967
Recent literature1-6has summarized many of the characteristics
of time-shared systems which have been or are being built for
experimental or commercial application. Fortunately system
designers are not waiting for a formal theory before
experimenting. Unfortunately some of the results are so diverse
in effectiveness that greater emphasis on analysis must be
achieved. If predictability cannot lower the risks associated with
the tremendous investments required to implemen ...
- 15** A unified wireless LAN architecture for real-time and 98%
 non-real-time communication services
Sunghyun Choi , Kang G. Shin
IEEE/ACM Transactions on Networking (TON) February 2000
Volume 8 Issue 1
- 16** Optimal stochastic scheduling in multiclass parallel queues 98%
 Jay Sethuraman , Mark S. Squillante
ACM SIGMETRICS Performance Evaluation Review , Proceedings of
the international conference on Measurement and modeling of
computer systems May 1999
Volume 27 Issue 1
- 17** The design and performance of a real-time CORBA event 98%
 service
Timothy H. Harrison , David L. Levine , Douglas C. Schmidt
ACM SIGPLAN Notices , Proceedings of the 1997 ACM SIGPLAN
conference on Object-oriented programming systems, languages
and applications October 1997
Volume 32 Issue 10

- 18** Bus access optimization for distributed embedded systems 97%
based on schedulability analysis
Paul Pop , Petru Eles , Zebo Peng
Proceedings of the conference on Design, automation and test in Europe January 2000
- 19** The design, implementation and evaluation of SMART: a 97%
scheduler for multimedia applications
Jason Nieh , Monica S. Lam
ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth ACM symposium on Operating systems principles October 1997
Volume 31 Issue 5
- 20** A simulation-based study of scheduling mechanisms for a 97%
dynamic cluster environment
Yanyong Zhang , Anand Sivasubramaniam , Jose Moreira , Hubertus Franke
Proceedings of the 14th international conference on Supercomputing May 2000
Scheduling of processes onto processors of a parallel machine has always been an important and challenging area of research. The issue becomes even more crucial and difficult as we gradually progress to the use of off-the-shelf workstations, operating systems, and high bandwidth networks to build cost-effective clusters for demanding applications. Clusters are gaining acceptance not just in scientific applications that need supercomputing power, but also in domains such as databases, web se ...

Results 1 - 20 of 200**short listing**
Prev
Page**1 2 3 4 5 6 7 8 9 10**
Next
Page

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2002 ACM, Inc.